CUSTOM HOUSE PLAN BM2500 R



BuildMax Contact: tony@buildmax.com

CLIENT:
Refer to the name on the onetime build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES

CONTRACTOR SHALL CHECK
AND VERIFY ALL DIMENSIONS
BEFORE BEGINNING
CONSTRUCTION AND
COORDINATE ANY
CORRECTIONS OR REVISIONS
WITH THE OWNER AND
DESIGNER. BUILDMAX WILL
ASSUME NO LIABILITY FOR
ANY ERRORS ONCE THE
CONSTRUCTION BEGINS.

REVISION TABLE

IO. DATE DESCRIPTIO

DRAWING LIST:

Label Title
A-1 COVER PAGE

A-2 EXTERIOR ELEVATIONS
A-3 EXTERIOR ELEVATIONS
A-4 1ST FLOOR PLAN
A-5 2ND FLOOR PLAN
A-6 FOUNDATION PLAN
A-7 PLUMBING LAYOUT

A-8 ROOF PLAN
A-9 ROOF FRAMING PLAN

A-10 EXTERIOR WALL FRAMING PLAN

A-11 FIRST & SECOND FLOOR FRAMING PLAN

A-12 SECTION VIEW

A-13 ELECTRICAL PLAN 1ST FLOOR

A-14 ELECTRICAL PLAN 2ND FLOOR

A-15 PLUMBING PLAN 1ST FLOOR PLUMBING

A-16 PLAN 2ND FLOOR

SQUARE FOOTAGE

 FIRST FLOOR:
 2203

 SECOND FLOOR:
 418

 BONUS:
 765

 PORCHES:
 653

 GARAGE:
 1584

 TOTAL LIVING:
 3386

 TOTAL AREA:
 5623



COVER PAGE


FILE NUMBER: BM2500 R

DATE: 9/19/2022


SCALE:

1/4" = 1'-0"

SHEET NO.



FRONT ELEVATION



REAR ELEVATION



BuildMax Contact: tony@buildmax.com

CLIENT: Refer to the name on the one-time build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES: CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE BEGINNING CONSTRUCTION AND
COORDINATE ANY
CORRECTIONS OR REVISIONS
WITH THE OWNER AND DESIGNER. BUILDMAX WILL ASSUME NO LIABILITY FOR ANY ERRORS ONCE THE CONSTRUCTION BEGINS.

REVISION TABLE NO. DATE DESCRIPTION

SHEET NUMBER
EXTERIOR


FILE NUMBER: BM2500 R


DATE: 9/19/2022

SCALE:

1/4" = 1'-0"


SHEET NO.





RIGHT ELEVATION

EXTERIOR ELEVATIONS





BuildMax Contact: tony@buildmax.com

CLIENT:
Refer to the name on the one-time build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES:

CONTRACTOR SHALL CHECK
AND VERIFY ALL DIMENSIONS
BEFORE BEGINNING
CONSTRUCTION AND
COORDINATE ANY
CORRECTIONS OR REVISIONS
WITH THE OWNER AND
DESIGNER. BUILDMAX WILL
ASSUME NO LIABILITY FOR
ANY ERRORS ONCE THE
CONSTRUCTION BEGINS.

	REV	ISION TABLE
NO.	DATE	DESCRIPTION

LEVATIONS

SHEET NUMBER


FILE NUMBER: BM2500 R

DATE: 9/19/2022

SCALE:

1/4" = 1'-0"

SHEET NO.



					Doc	r Schedu	ıle							Nindow S	chedule			
Number	Label	Qty	Floor	Size	Midth	1	R/0	Header	Thickness	Number	Label	Qty		Size	1		R/0	Header
D01	11068	1	1	11068 L IN	22 7/16 "	80 "	24 7/16"×82 1/2"	2×6×27 7/16" (2)	1 3/8"	M01	2030DH	1	1	2030DH	24 "	36 "	25"×37"	2×6×28" (2)
D02	1480	2	1	1480 EX	16 "	96 "	18"x99"	2×6×21" (2)	1 3/4"	M02	3030DH	3	2	3030DH	36 "	36 "	37"×37"	2×6×40" (2)
D03	2468	2	1	2468 R IN	28 "	80 "	30"×82 1/2"	2×6×33" (2)	1 3/8"	M03	3040DH	2	1	3040DH	36 "	48 "	37"x49"	2×6×40" (2)
D04	2468	1	1	2468 L	28 "	80 "	45"×82 1/2"	2×6×48" (2)	1 3/8"	M04	3056DH	7	1	3056DH	36 "	66 "	37"×67"	2×6×40" (2)
D05	2468	3	1	2468 L IN	28 "	80 "	30"×82 1/2"	2×6×33" (2)	1 3/8"	M05	3056DH	10	2	3056DH	36 "	66 "	37"×67"	2×6×40" (2)
D06	2468	1	2	2468 R IN	28 "	80 "	30"×82 1/2"	2×6×33" (2)	1 3/8"	M06	4880FX	6	1	4880FX	56 "	96 "	57"×97"	2×6×60" (2)
D07	2468	1	2	2468 L IN	28 "	80 "	30"×82 1/2"	2×6×33" (2)	1 3/8"	MOT	5050FX	1	1	5050FX	60 "	60 "	61"×61"	2×6×64" (2)
D08	2668	1	1	2668 R IN	30 "	80 "	32"×82 1/2"	2×6×35" (2)	1 3/8"									
D09	2668	2	1	2668 L IN	30 "	80 "	32"×82 1/2"	2×6×35" (2)	1 3/8"									
D10	2668	1	2	2668 L IN	30 "	80 "	32"×82 1/2"	2×6×35" (2)	1 3/8"									
D11	3068	1	1	3068 R EX	36 "	80 "	38"×83"	2×6×41" (2)	1 3/4"									
D12	2668	1	1	2668 R	30 "	80 "	30"×80"		1/2"									
D13	3068	2	1	3068 L	36 "	80 "	57"×82 1/2"	2×6×60" (2)	1 3/8"									
D14	3068	1	1	3068 L EX	36 "	80 "	38"x83"	2×6×41" (2)	1 3/4"									
D15	3068	1	2	3068 R	36 "	80 "	38"×82 1/2"	2×6×41" (2)	1 3/8"									
D16	3080	3	1	3080 L EX	36 "	96 "	38"x99"	2×6×41" (2)	1 3/4"									
D17	5080	1	1	5080 L/R EX	60 "	96 "	62"×99"	2×8×65" (2)	1 3/4"									
D18	6068	1	1	6068 L/R	72 "	80 "	74"×82 1/2"	2×10×77" (2)	1 3/8"									
D19	6080	1	1	6080 L/R EX	72 "	96 "	7 4"×99"	2×10×77" (2)	1 3/4"									
D20	9090	3	1	9090	108 "	108 "	111"×111"	1 3/4×11 1/4×117" (2)	1 3/4"									



BuildMax Contact: tony@buildmax.com

CLIENT:
Refer to the name on the onetime build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES:

CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE BEGINNING CONSTRUCTION AND COORDINATE ANY CORRECTIONS OR REVISIONS WITH THE OWNER AND DESIGNER. BUILDMAX WILL ASSUME NO LIABILITY FOR ANY ERRORS ONCE THE CONSTRUCTION BEGINS.

REVISION TABLE NO. DATE DESCRIPTION

SHEET I


FILE NUMBER: BM2500 R


DATE: 9/19/2022

SCALE:

1/4" = 1'-0"

SHEET NO.





SITE DRAINAGE:

IT IS RECOMMENDED THAT SHE DRAINAGE BE WELL DEVELOPED. SURFACE WATER SHOULD BE DIRECTED AWAY FROM THE FOUNDATION SOILS. (USE A MINIMUM SLOPE OF 2% WITHIN 10 FEET OF THE FOUNDATION. NO PONDING OF SURFACE WATER SHALL BE ALLOWED NEAR THE STRUCTURE DURING OR AFTER COMPLETION OF THE CONSTRUCTION AND THE LANDSCAPING. THE BUILDER SHALL ADVISE THE OWNER OF THE SITE DRAINAGE REQUIREMENTS.

SPECIFICATION NOTES

- 1. REINFORCED CONCRETE SHALL CONFORM TO APPLICABLE REQUIREMENTS OF THE 2021 I.R.C. AND ALL LOCAL CITY OR COUNTY GUIDELINES.
- 2. ALL CONCRETE USED IN THE FOUNDATIONS AND SLABS ON GRADE SHALL HAVE A 28 DAY COMPRESSIVE STRENGTH OF NOT LESS THAN 3,000 PSI.
- 3. THE MAXIMUM SLUMP SHALL NOT EXCEED 4 INCHES.
- 4. PROVIDE CONTROL JOINTS IN ALL EXPOSED SLABS ON GRADE. THE MAXIMUM SPACING OF CONTROL JOINTS SHALL BE 20" O.G.,

UNLESS OTHERWISE NOTED. 5. A CIVIL ENGINEER SHOULD BE CONSULTED TO VERIFY FOUNDATION PLANS AND DETAILS. SITE DRAINAGE: IT IS RECOMMENDED THAT SHE DRAINAGE BE WELL DEVELOPED.

FOUNDATION PLAN

1/4"=1'-0"



Contact: tony@buildmax.com

CLIENT: Refer to the name on the onetime build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES:

CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE BEGINNING CONSTRUCTION AND COORDINATE ANY CORRECTIONS OR REVISIONS WITH THE OWNER AND DESIGNER. BUILDMAX WILL ASSUME NO LIABILITY FOR ANY ERRORS ONCE THE CONSTRUCTION BEGINS.

REVISION TABLE NO. DATE DESCRIPTION


FILE NUMBER: BM2500 R

DATE: 9/19/2022

SCALE:

1/4" = 1'-0"

SHEET NO.





BuildMax Contact: tony@buildmax.com

CLIENT:
Refer to the name on the onetime build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES:

CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE BEGINNING CONSTRUCTION AND COORDINATE ANY CORRECTIONS OR REVISIONS WITH THE OWNER AND DESIGNER. BUILDMAX WILL ASSUME NO LIABILITY FOR ANY ERRORS ONCE THE CONSTRUCTION BEGINS.


REVISION TABLE
NO. DATE DESCRIPTION

FILE NUMBER: BM2500 R

DATE: 9/19/2022

SCALE: 1/4" = 1'-0"

SHEET NO.



ROOF & FRAMING NOTES:

1. ROOF FRAMING AND ROOF TRUSS LAYOUT IS FOR ILLUSTRATION ONLY. ALL FRAMING SHALL BE INSTALLED & BRACED TO

MANUFACTURER'S DRAWINGS & SPECIFICATIONS.
2. ALL TRUSSES OR TJI'S SHALL CARRY MANUFACTURER'S STAMP

3. TRUSSES OR TJI'S SHALL NOT BE FIELD ALTERED WITHOUT PRIOR ENGINEERING APPROVAL BY TRUSS MANUFACTURER.

4. ALL TRUSSES OR TJI'S SHALL HAVE DESIGN DETAILS & DRAWINGS ON SITE FOR FRAMING INSPECTION.

5. ALL CONNECTIONS OF RAFTERS, JACK OR HIP TRUSSES TO MAIN GIRDER TO BE PROVIDED BY TRUSS MANUFACTURER.

ROOF PLAN

1/4"=1'-0"



BuildMax
Contact: tony@buildmax.com

CLIENT:
Refer to the name on the one-time build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES:

CONTRACTOR SHALL CHECK
AND VERIFY ALL DIMENSIONS
BEFORE BEGINNING
CONSTRUCTION AND
COORDINATE ANY
CORRECTIONS OR REVISIONS
WITH THE OWNER AND
DESIGNER. BUILDMAX WILL
ASSUME NO LIABILITY FOR
ANY ERRORS ONCE THE
CONSTRUCTION BEGINS.

REVISION TABLE
NO. DATE DESCRIPTION

MBER **PLAN**

FILE NUMBER:

BM2500 R

DATE: 9/19/2022


SCALE:

1/4" = 1'-0"

SHEET NO.

ROOF TRUSS LAYOUT FOR ILLUSTRATION PURPOSES ONLY
FINAL ROOF TRUSS LAYOUT AND CONFIGURATION WILL BE DETERMINED BY THE TRUSS

ENGINEER AND/OR MANUFACTURER WHO CERTIFIES AND STAMPS THE TRUSS PLANS.



ROOF & FRAMING NOTES:

1. ROOF FRAMING AND ROOF TRUSS LAYOUT IS FOR ILLUSTRATION ONLY. ALL FRAMING SHALL BE INSTALLED & BRACED TO

MANUFACTURER'S DRAWINGS & SPECIFICATIONS.

2. ALL TRUSSES OR TJI'S SHALL CARRY MANUFACTURER'S STAMP

3. TRUSSES OR TJI'S SHALL NOT BE FIELD ALTERED WITHOUT PRIOR ENGINEERING APPROVAL BY TRUSS MANUFACTURE.

3. TRUSSES OR TJI'S SHALL NOT BE FIELD ALTERED WITHOUT PRIOR ENGINEERING APPROVAL BY TRUSS MANUFACTURER.
4. ALL TRUSSES OR TJI'S SHALL HAVE DESIGN DETAILS & DRAWINGS ON SITE FOR FRAMING INSPECTION.

5. ALL CONNECTIONS OF RAFTERS, JACK OR HIP TRUSSES TO MAIN GIRDER TO BE PROVIDED BY TRUSS MANUFACTURER.

ROOF PLAN

1/4"=1'-0"



BuildMax
Contact: tony@buildmax.com

CLIENT:
Refer to the name on the one-time build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES:

CONTRACTOR SHALL CHECK
AND VERIFY ALL DIMENSIONS
BEFORE BEGINNING
CONSTRUCTION AND
COORDINATE ANY
CORRECTIONS OR REVISIONS
WITH THE OWNER AND
DESIGNER. BUILDMAX WILL
ASSUME NO LIABILITY FOR
ANY ERRORS ONCE THE
CONSTRUCTION BEGINS.

REVISION TABLE
NO. DATE DESCRIPTION

ROOF F


FILE NUMBER: BM2500 R

DATE: 9/19/2022


SCALE:

1/4" = 1'-0"


SHEET NO.



FRONT VIEW OF FRAMING



REAR VIEW OF FRAMING



LEFT VIEW OF FRAMING

GENERAL NOTES:

- 1) THESE DRAWINGS ARE DIAGRAMMATIC ONLY, FOR ESTABLISHING RELATIONSHIP AND DIMENSIONAL INTENTS. EACH SUBCONTRACTOR IS RESPONSIBLE FOR VERIFYING CONDITIONS BEFORE BEGINNING HIS/HER WORK.
- 2) THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR FOLLOWING ALL BUILDING CODE & LOCAL ORDINANCES.
- INDICATED ON THESE DRAWINGS. 4) THE GENERAL CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS IN THE FILE FOR ANY DISCREPANCIES BETWEEN THE ACTUAL CONDITIONS AND DRAWINGS. IF IN THE COURSE OF CONSTRUCTION, A CONDITION EXISTS WHICH DISAGREES WITH THAT AS INDICATED ON THESE PLANS, THE GENERAL CONTRACTOR SHALL MAKE CHANGES THAT COMPLY WITH I.R.C. (INTERNATIONAL RESIDENTIAL CODE), LATEST EDITION, OR APPLICABLE LOCAL CODES.
- 5) THE DESIGNER SHALL NOT BE HELD RESPONSIBLE FOR ANY MATERIALS, WORKMANSHIP, MEANS OR METHODS OF CONSTRUCTION OR ERRORS RELATED TO THE ILLUSTRATIONS PROVIDED HEREIN.
- 6) THE DESIGNER SHALL NOT BE HELD RESPONSIBLE FOR THOSE SUPERVISION OF CONSTRUCTION, AND IS NOT RESPONSIBLE FOR ANY CHANGES WITHOUT PRIOR NOTIFICATION.

7) ALL LVL BEAMS, ROOF AND FLOOR TRUSSES TO BE VERIFIED BY STRUCTURAL ENGINEER FOR SIZE, LOADS AND ORIENTATION

RIGHT VIEW OF FRAMING



Contact: tony@buildmax.com

CLIENT: Refer to the name on the onetime build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES: CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE BEGINNING CONSTRUCTION AND **COORDINATE ANY** CORRECTIONS OR REVISIONS WITH THE OWNER AND DESIGNER. BUILDMAX WILL ASSUME NO LIABILITY FOR ANY ERRORS ONCE THE CONSTRUCTION BEGINS.

REVISION TABLE NO. DATE DESCRIPTION

FILE NUMBER: BM2500 R

DATE: 9/19/2022


SCALE:

1/8' = 1'-0'"

SHEET NO.

FLOOR TRUSS LAYOUT FOR ILLUSTRATION PURPOSES ONLY FINAL FLOOR TRUSS LAYOUT, LVL BEAM SIZE AND CONFIGURATION WILL BE DETERMINED BY THE STRUCTURAL ENGINEER AND/OR MANUFACTURER WHO

FIRST FLOOR FRAMING PLAN



I-JOIST LAYOUT

ACCORDING TO LOCAL CODE.

- 1. I-JOIST LAYOUT IS FOR ILLUSTRATION ONLY AND A STRUCTURAL ENGINEER OR I-JOIST/FLOOR TRUSS MANUFACTURER MUST BE HIRED TO LAY OUT THE I-JOIST AND BEAM CONFIGURATION ACCORDING TO CODE.

CERTIFIES AND STAMPS THE TRUSS/BEAM PLANS.

- 2. HOMEOWNER SHALL HIRE THE REQUIRED STRUCTURAL ENGINEERING FIRM LVL BEAM MANUFACTURER TO DESIGN THE LVL BEAM TO HOLD THE SECOND FLOOR JOISTS
- 3. LVL BEAM IS NOT INDICATED ON THE PLAN. 4. DESIGNER SHALL NOT BE HELD RESPONSIBLE FOR ANY ERRORS IN THE FLOOR JOIST LAYOUT OR BEAM CONFIGURATION SINCE THIS IS THE RESPONSIBILITY OF THE MANUFACTURER OR STRUCTURAL ENGINEER. LVL BEAM IS NOT INDICATED ON

THE PLAN. LVL BEAM MUST BE DESIGNED AND CONFIGURED BY A STRUCTURAL ENGINEER OR LVL MANUFACTURER

SECOND FLOOR FRAMING PLAN

FIRST & SECOND FLOOR FRAMING PLAN 3/16"=1'-0"



Contact: tony@buildmax.com

CLIENT: Refer to the name on the onetime build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES:

CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE BEGINNING CONSTRUCTION AND **COORDINATE ANY** CORRECTIONS OR REVISIONS WITH THE OWNER AND DESIGNER. BUILDMAX WILL ASSUME NO LIABILITY FOR ANY ERRORS ONCE THE CONSTRUCTION BEGINS.


REVISION TABLE NO. DATE DESCRIPTION

FILE NUMBER: BM2500 R


DATE: 9/19/2022

3/16" = 1'-0"

SHEET NO.



E01	5	Number	Qty		ctrical Schedule Description
E03	\supset				
E04 3 1 Sconce 3 E05 1 1 Single Pole E06 6 1 Single Pole Switch E08 51 1 Duplex E09 4 1 GFCI E10 3 1 Classic Ceiling Fan Light Fixture E11 7 1 2 Gang Switch E12 7 1 3 Gang Switch E13 74 1 Recessed Down Light 6 E14 6 1 Quail Mall Sconce E15 11 1 Shop Light (long) [96 1/4M] [96 1/4M] E16 3 2 Sconce 2 E17 2 2 Exhaust Fan 01 E18 3 2 Single Pole Switch E19 22 Duplex	9	E02	2	1	Exhaust Fan 01
E05	W _P	E03	6	1	Duplex (weatherproof)
E06 6 1 Single Pole Switch E08 51 1 Duplex For E09 4 1 GFCI E10 3 1 Classic Ceiling Fan Light Fixture E11 7 1 2 Gang Switch E12 7 1 3 Gang Switch E13 74 1 Recessed Down Light 6 E14 6 1 Quail Mall Sconce E15 11 1 Shop Light (long) [96 1/4M] [96 1/4M] E16 3 2 Sconce 2 E17 2 2 Exhaust Fan 01 E18 3 2 Single Pole Switch E19 22 Duplex	tta	E04	3	1	Sconce 3
E08 51 1 Duplex E09 4 1 GFCI E10 3 1 Classic Ceiling Fan Light Fixture SE11 7 1 2 Gang Switch E12 7 1 3 Gang Switch E13 74 1 Recessed Down Light 6 E14 6 1 Quail Mall Sconce E15 11 1 Shop Light (long) [96 1/4M] [96 1/4M] E16 3 2 Sconce 2 E17 2 2 Exhaust Fan 01 E18 3 2 Single Pole Switch E19 22 Duplex	\$	E05	1	1	Single Pole
E09 4 1 GFCI E10 3 1 Classic Ceiling Fan Light Fixture E11 7 1 2 Gang Switch E12 7 1 3 Gang Switch E13 74 1 Recessed Down Light 6 E14 6 1 Quail Mall Sconce E15 11 1 Shop Light (long) [96 1/4M] [96 1/4M] E16 3 2 Sconce 2 E17 2 2 Exhaust Fan 01 E18 3 2 Single Pole Switch E19 22 Duplex	\$	E06	6	1	Single Pole Switch
E10 3 1 Classic Ceiling Fan Light Fixture E11 7 1 2 Gang Switch E12 7 1 3 Gang Switch E13 74 1 Recessed Down Light 6 E14 6 1 Quail Mall Sconce E15 11 1 Shop Light (long) [96 1/4M] [96 1/4M] E16 3 2 Sconce 2 E17 2 2 Exhaust Fan 01 E18 3 2 Single Pole Switch E19 22 Duplex	5	E08	51	1	Duplex
## E11	SFCI	E09	4	1	GFCI
E12 7 1 3 Gang Switch E13 74 1 Recessed Down Light 6 E14 6 1 Quail Mall Sconce E15 11 1 Shop Light (long) [96 1/4M] [96 1/4M] E16 3 2 Sconce 2 E17 2 2 Exhaust Fan 01 E18 3 2 Single Pole Switch E19 22 2 Duplex	4	E10	3	1	Classic Ceiling Fan Light Fixture
E13 74 1 Recessed Down Light 6 E14 6 1 Quail Mall Sconce E15 11 1 Shop Light (long) [96 1/4M] [96 1/4M] E16 3 2 Sconce 2 E17 2 2 Exhaust Fan 01 E18 3 2 Single Pole Switch E19 22 2 Duplex	\$	E11	7	1	2 Gang Switch
E14 6 1 Quail Mall Sconce E15 11 1 Shop Light (long) [96 1/4M] [96 1/4M] E16 3 2 Sconce 2 E17 2 2 Exhaust Fan 01 E18 3 2 Single Pole Switch E19 22 2 Duplex	\$\$	E12	7	1	3 Gang Switch
E15 11 1 Shop Light (long) [96 1/4] [96 1/4] E16 3 2 Sconce 2 E17 2 2 Exhaust Fan 01 E18 3 2 Single Pole Switch E19 22 2 Duplex	<u>3</u>	E13	74	1	Recessed Down Light 6
E16 3 2 Sconce 2 E17 2 2 Exhaust Fan 01 E18 3 2 Single Pole Switch E19 22 2 Duplex	Ź	E14	6	1	Quail Mall Sconce
E17 2 2 Exhaust Fan 01 E18 3 2 Single Pole Switch E19 22 2 Duplex	_	E15	11	1	Shop Light (long) [96 1/4W] [96 1/4W]
E18 3 2 Single Pole Switch E19 22 2 Duplex	Ď	E16	3	2	Sconce 2
E19 22 2 Duplex	9	E17	2	2	Exhaust Fan 01
J	\$	E18	3	2	Single Pole Switch
E20 2 GFCI	5	E19	22	2	Duplex
	SFCI	E20	2	2	GFCI
E21 3 2 Classic Ceiling Fan Light Fixture	K	E21	3	2	Classic Ceiling Fan Light Fixture
\$ E22	\$	E22	1	2	2 Gang Switch
\$\$ E23	\$\$	E23	3	2	3 Gang Switch
E24 21 2 Recessed Down Light 6	₹ <u>)</u>	E24	21	2	Recessed Down Light 6



Electrical Notes:

(ELECTRICAL LAYOUT IS FOR ILLUSTRATION PURPOSES ONLY AND A LOCAL PROFESSIONAL SHALL BE HIRED TO CONFIRM THE LAYOUT OR PROVIDE A LAYOUT THAT MEETS LOCAL CODE)

1. All work shall be done in conformance with all governing codes, including amendments, bulletins, etc. as well as standards of installation for buildings, and equipment and requirements of the Owner. 2. Coordinate all work with other trades to ensure installation is made in accordance with the contract documents. 3. Exact locations and mounting heights of all lighting fixtures, wall outlets, etc. shall be in accordance with local code and the professional on the ground shall make changes as needed.

ELECTRICAL PLAN

1/4" = 1'-0"



BuildMax Contact: tony@buildmax.com

CLIENT:
Refer to the name on the one-time build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES:

CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE BEGINNING CONSTRUCTION AND COORDINATE ANY CORRECTIONS OR REVISIONS WITH THE OWNER AND DESIGNER. BUILDMAX WILL ASSUME NO LIABILITY FOR ANY ERRORS ONCE THE CONSTRUCTION BEGINS.

REVISION TABLE
NO. DATE DESCRIPTION

L PLAN 1ST FLOOR

SHEET NUMBER

FILE NUMBER: BM2500 R


DATE: 9/19/2022

SCALE:

1/4" = 1'-0"

SHEET NO.

Electrical Schedule									
מו	Number	Qty	Floor	Description					
Ø	E01	1	1	Traditional Flush Dome					
® ≎	E02	2	1	Exhaust Fan 01					
d _{wp}	E03	6	1	Duplex (weatherproof)					
atta	E04	3	1	Sconce 3					
\$	E05	1	1	Single Pole					
\$	E06	6	1	Single Pole Switch					
b	E08	51	1	Duplex					
d	E09	4	1	GFCI					
¥	E10	3	1	Classic Ceiling Fan Light Fixture					
\$\$	E11	7	1	2 Gang Switch					
\$\$\$	E12	7	1	3 Gang Switch					
R	E13	74	1	Recessed Down Light 6					
¤	E14	6	1	Quail Mall Sconce					
	E15	11	1	Shop Light (long) [96 1/414] [96 1/414]					
Ħ	E16	3	2	Sconce 2					
® ∘	E17	2	2	Exhaust Fan 01					
\$	E18	3	2	Single Pole Switch					
\mathfrak{D}	E19	22	2	Duplex					
U _{FCI}	E20	2	2	GFCI					
¥	E21	3	2	Classic Ceiling Fan Light Fixture					
\$\$	E22	1	2	2 Gang Switch					
\$\$\$	E23	3	2	3 Gang Switch					
P	E24	21	2	Recessed Down Light 6					



Electrical Notes:

(ELECTRICAL LAYOUT IS FOR ILLUSTRATION PURPOSES ONLY AND A LOCAL PROFESSIONAL SHALL BE HIRED TO CONFIRM THE LAYOUT OR PROVIDE A LAYOUT THAT MEETS LOCAL CODE)

1. All work shall be done in conformance with all governing codes, including amendments, bulletins, etc. as well as standards of installation for buildings, and equipment and requirements of the Owner. 2. Coordinate all work with other trades to ensure installation is made in accordance with the contract documents. 3. Exact locations and mounting heights of all lighting fixtures, wall outlets, etc. shall be in accordance with local code and the professional on the ground shall make changes as needed.

ELECTRICAL PLAN

1/4" = 1'-0"



BuildMax Contact: tony@buildmax.com

CLIENT: Refer to the name on the onetime build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES:

CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE BEGINNING CONSTRUCTION AND COORDINATE ANY CORRECTIONS OR REVISIONS WITH THE OWNER AND DESIGNER. BUILDMAX WILL ASSUME NO LIABILITY FOR ANY ERRORS ONCE THE CONSTRUCTION BEGINS.

REVISION TABLE NO. DATE DESCRIPTION


FILE NUMBER: BM2500 R

DATE: 9/19/2022

SCALE:

1/4" = 1'-0"

SHEET NO.



PLUMBING NOTES:

(PLUMBING LAYOUT IS FOR ILLUSTRATION PURPOSES ONLY AND A LOCAL PROFESSIONAL SHALL BE HIRED TO CONFIRM THE LAYOUT OR PROVIDE A LAYOUT THAT MEETS LOCAL CODE) 1)All work shall be done in conformance with all governing codes, including amendments, bulletins, etc. as well as standards of installation for residential buildings, and equipment and requirements of the Owner.

PLUMBING / HVAC PLAN

1/4"=1'-0"



BuildMax Contact: tony@buildmax.com

CLIENT: Refer to the name on the onetime build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES:

CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE BEGINNING CONSTRUCTION AND COORDINATE ANY CORRECTIONS OR REVISIONS WITH THE OWNER AND DESIGNER. BUILDMAX WILL ASSUME NO LIABILITY FOR ANY ERRORS ONCE THE CONSTRUCTION BEGINS.

REVISION TABLE
NO. DATE DESCRIPTION


FILE NUMBER: BM2500 R

DATE: 9/19/2022

SCALE:

1/4" = 1'-0"

SHEET NO.





PLUMBING NOTES: (PLUMBING LAYOUT IS FOR ILLUSTRATION PURPOSES ONLY AND A LOCAL PROFESSIONAL SHALL BE HIRED TO CONFIRM THE LAYOUT OR PROVIDE A LAYOUT THAT MEETS LOCAL CODE) 1)All work shall be done in conformance with all governing codes, including amendments, bulletins, etc. as well as standards of installation for residential buildings, and equipment and requirements of the Owner.



BuildMax Contact: tony@buildmax.com

CLIENT: Refer to the name on the onetime build license

PROJECT TITLE: Custom House Plan

COPYRIGHT:

BuildMax.com copyright 2021 Architectural works are protected by U.S. copyright law, specifically by 17 U.S. Code § 102(8).

NOTES: CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS BEFORE BEGINNING CONSTRUCTION AND COORDINATE ANY CORRECTIONS OR REVISIONS WITH THE OWNER AND DESIGNER. BUILDMAX WILL ASSUME NO LIABILITY FOR ANY ERRORS ONCE THE CONSTRUCTION BEGINS.

REVISION TABLE NO. DATE DESCRIPTION

FILE NUMBER: BM2500 R

DATE: 9/19/2022

SCALE: 1/4" = 1'-0"

SHEET NO.